

T14N

R2E



**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

---

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Morgan County are stored on microfilm Reel 7534 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph  
Monroe County Surveyor





Township N. XIV North, Range N. II East 2<sup>nd</sup> Mer. Surveyed by W.B. Laughlin, 1820.

Description of the Soil on the interior Sectional lines.

Between sections	Quality &c.	Between sections	Quality &c.	Between sections	Quality &c.
35.36	Land 2 <sup>nd</sup> rate. Beech. Oak. Sugar. Maple. Spice	2.3	Land 2 <sup>nd</sup> rate. Beech. Oak. Sugar. Oak. Elm &c.	40.7	Land 2 <sup>nd</sup> rate. Beech. Oak. Sugar &c.
25.36	Same 2 <sup>nd</sup> rate. Sugar. Ash. Walnut. Beech &c.	3.34	Same	31.32	Same
26.26	Same 2 <sup>nd</sup> rate. Beech. Sugar. Oak. Elm &c.	27.34	Same	29.32	Same
24.25	Same	27.28	Same	30.31	Same
23.24	Same	22.27	Same	29.30	Same
13.24	Same 2 <sup>nd</sup> rate	21.22	Same	28.29	Same
13.14	Same 2 <sup>nd</sup> rate	15.22	Same	19.30	Same
13.13	Same	15.16	Same	19.20	Same
11.12	Same	11.15	Same	17.20	Same
1.12	Same	9.10	Same	18.19	Same
1.2	Same	3.10	Same	17.18	Same
34.35	Land 2 <sup>nd</sup> rate. Beech. Sugar. Oak. Elm &c.	3.4	Same	8.17	Same
26.35	Same	37.33	Land 2 <sup>nd</sup> rate	7.18	Same
26.27	Same	28.33	Land 2 <sup>nd</sup> rate. Beech. Oak. Sugar &c.	7.8	Same
25.26	Same	28.29	Same	5.8	Same
22.23	Same	21.28	Same	6.7	Same
14.23	Same	20.21	Same	5.6	Same
14.15	Same	16.21	Same		
11.14	Same	16.14	Same		
10.11	Same	9.26	Same		
2.11	Same	8.9	Same		



V.1, XIII.

N & E. 2<sup>d</sup> Mer.

INDIANA.

Township N<sup>o</sup> 14 North, Range N<sup>o</sup> 2 East 2<sup>nd</sup> Mer.

Range Line - Var. 6 <sup>00</sup> ' E.	
North	Between Ranges 2 & 3 E. Township 14 North On the East Side of Sec. 36
19.25	A. Walnut 19 in. diam.
40.00	gr. Sec. Corner Hackberry 14 S 41 E 31 Buckeye 13 S 84 W 2
80.00	Set post corner of Sec. 23 & 36 Buckeye 30 S 47 W 32 do 18 N 70 E 22
North	Land loc. Rich. Walnut, Buckeye, Hackberry
10.15	On the East Side of Sec. 25 A. Sugar 18 in. diam.
40.00	gr. Sec. Corner Beech 6 S 56 W 5 Sugar 7 S 41 E 14
80.00	Set post corner of Sec. 24 & 25 Hickory 10 S 15 W 40 do 8 N 18 E 27
North	Land Rich. timber as above
16.51	On the East Side of Sec. 24 A. Hackberry 14 in. diam.
37.00	A. Brook 6 lbs S. E
40.00	gr. Sec. corner W. Oak 24 S 29 W 12 Beech 13 S 21 E 27
52.35	A. Hickory 12 in. diam.
80.00	Set post corner to Sec. 13 & 24 Beech 20 S 11 W 40 Ash 10 N 7 E 27
North	Good farming land
24.80	On the East Side of Sec. 13 A. Spruce Oak 40 in. diam.
40.00	gr. Sec. corner Beech 10 S 33 E 31 Hickory 18 N 49 W 13
56.06	A. Hickory 18 in. diam.
80.00	Set post in Brook 8 lbs corner East corner of Sections 12 & 13 Spruce 20 S 48 W 40 do 30 N 48 W 28
North	Good farming land. Beech, Sugar, Hickory
11.30	On the East Side of Sec. 12 A. Brook 7 lbs East
27.60	A. Sugar 14 in. diam.
40.00	gr. Sec. corner - 6 S 26 E 27 Sugar 26 S 20 W 27
62.60	A. Beech 13 in. diam.
74.50	A. Oak 25 lbs S. E
80.00	Set post corner to Sec. 1 & 12 Beech 20 S 40 E 20 do 18 N 20 E 5
North	Land Timber similar
29.75	On the East Side of Sec. 1 A. Ash 14 in. diam.
40.00	gr. Sec. corner Hickory 14 S 55 W 10 Oak 15 N 69 E 27
75.86	Set post corner of Ranges 2 & 3. Township 14 & 15 North Beech 18 S 54 W 13 do 14 N 76 E 46
North	Good farming land. Sugar, Beech, Ash 11 1/2 lbs Spruce
	Surveyed by John McDonald



Township lines var 7.00'		West	On True line. Between Townships 13 & 14
East	On Random line. Between Towns 13 & 14 N 2 E		N. Range 2. East
10.00	Temporary gr. Sec. post of Sec 31		On the South Side of Sec. 36
27.00	A. Branch 8 lbs S. E.	11.25	A. Hackberry 12 in. diam.
30.00	Temporary post of Sec 31 & 32	40.00	gr. Sec. Corner Beech 12 S 66 W 13
	Good farming land. Beech. Sugar. Ash. Elm. Spruce		do 30 S 15 W 22
East	On Random line of Sec. 32	58.25	A. Ash 20 in. diam.
11.00	Branch 10 lbs South	80.00	Set post to corner of Sec 35 & 36
20.00	A. Branch 20 lbs S. W		Buckeye 12 S 38 W 15
30.00	Temporary gr. Sec. post		Hackberry 9 S 3 E 18
30.00	Temporary post of Sec 32 & 33		Low Bottoms 1 <sup>st</sup> Enter. Walnut. Hackberry. Buckeye. Spruce
East	On Random line of Sec. 33	West	On the South Side of Sec. 35
5.00	A. Branch 12 lbs S. W	20.00	A. Poplar 16 in. diam.
16.00	Temporary gr. Sec. post	40.00	gr. Sec. Corner W. Oak 21 S 28 W 22
34.00	Temporary post of Sec 33 & 34		Beech 7 S 14 W 15
	Low Bottoms. Beech. Sugar. Ash. Hickory. Spruce	62.10	A. Ash 20 in. diam.
East	On Random line of Sec. 34	80.00	Set post corner of Sec 34 & 35
7.00	A. Branch 8 lbs S. E.		Sugar 10 S 35 W 25
37.00	A. Branch 15 lbs South		do 14 S 53 E 20
40.00	Temporary gr. Sec. post		Good Rolling farming land. Sugar. Ash. Beech. Spruce
48.00	A. Branch 12 lbs South	West	On the South Side of Sec. 34
80.00	Temporary post of Sec 34 & 35	12.60	A. Branch 5 lbs S. E.
	Good farming land. Sugar. Beech. Spruce	26.20	A. Branch 8 lbs S. E.
East	On Random line of Sec. 35	27.30	A. Ironwood 5 in. diam.
10.00	Temporary gr. Sec. post	40.00	gr. Sec. Corner Beech 7 S 21 E 4 lbs
11.00	Temporary post of Sec 35 & 36		W. Walnut 12 S 60 E 17
	Good farming land. Sugar. Beech. Hickory	61.70	A. Poplar 18 in. diam.
	Lowest. Gum. Spruce	80.00	Set post corner of Sec 35 & 36
East	On Random line of Sec. 36		Hickory 10 S 14 E 30
	Branch 25 lbs South		do 12 S 26 W 10
26.00	A. Branch 20 lbs South		Land & timber same
3.00	Temporary gr. Sec. post	West	On the South Side of Sec. 33
45.00	Post corner of Towns 13 & 14 Ranges 2 & 3	23.25	A. Hickory 18 in. diam.
	Sec 1. 6. 31. 36. Land. Bottoms. Sugar. Ash. Elm.	40.00	gr. Sec. Corner Beech 15 S 41 E 10
	Lowest. Hickory. Spruce		Sugar 9 S 77 W 27
	Surveyed by John McDonald D.S.		

Subdivisions of T 14 N Range 2 E	
51.75	A. Sugar 15 in. diam.
80.00	Set post corner of Sec 32 & 33
	Hickory 6 S 33 E 11
	Branch 9 S 33 W 9
	Low Bottoms. Beech. Oak. Sugar. Spruce. Hickory
West	On the South Side of Sec. 32
31.55	A. Branch 6 lbs S. W
40.00	gr. Sec. Corner Hickory 9 S 35 E 6
	Blue. Ash 10 S 78 W 14
53.10	A. Branch 6 lbs S. E.
53.60	A. Blue. Ash 20 in. diam.
80.00	Set post corner of Sec 31 & 32
	Beech 13 S 47 E 15
	do 10 S 60 W 33
West	On the South Side of Sec. 31
5.15	A. Branch 20 in. diam.
40.00	gr. Sec. Corner Sugar 6 S 18 W 8
	do 9 S 17 W 15
64.70	To Township line
	Land Rolling. Sugar. Ash. Poplar. Spruce
	Surveyed by John McDonald D.S.
Copy all page 12 then commence above and copy to p 11	
North Between Sec 35 & 36	
12.00	A. W. Oak 30 in. diam.
40.00	gr. Sec. post Beech 12 S 44 E 12
	do 14 S 32 E 21
73.69	A. B. Walnut 14 in. diam.
80.00	Set post corner of Sec 25. 26. 35. 36
	Beech 12 S 36 E 15
	do 14 S 43 W 20
	Land 2 <sup>nd</sup> Enter. Beech. Oak. Sugar. Spruce
East	Between Sec 25 & 36 on Random
40.00	gr. Sec. post Temporary
80.71	Intersected East line 186 lbs South of post
West	Corrected
40.35	gr. Sec. Corner Sugar 14 S 32 W 35
	Elm 4 S 73 E 25
80.71	Section corner
	Land 1 <sup>st</sup> Enter. Sugar. Ash. Walnut. Beech. Spruce
North	Between Sec 25 & 26
28.62	A. W. Oak 14 in. diam.
40.00	gr. Sec. Corner Beech 14 S 35 E 15
	do 8 S 78 W 4
73.86	A. Ash 30 in. diam.
78.00	A. Spruce 5 lbs S. E.
80.00	Set post corner to Sec 23. 24. 25. 26
	Beech 7 S 23 E 9
	Buckeye 10 S 70 W 12
	Land 2 <sup>nd</sup> Enter. Beech. Sugar. Oak. Elm. Spruce
East	Between Sec 24 & 25 on Random
10.00	Temporary gr. Sec. post
80.45	Intersected East line 72 lbs South of post
West	Corrected
40.22	gr. Sec. corner Beech 6 S 5 W 19
	Sugar 14 S 14 W 30
80.45	Section corner
	Land & timber same July 17 <sup>th</sup> 1820



North Between Secs 23 & 24	76.25	A. B. Walnut 12 in. diam.
24.00 A. Beech 10 in. diam.	80.00	Set post corner to Secs 1, 2, 11, 12
40.00 gr. Sec. corner Beech 14 N 51 E 4		B. Oak 12 S 13 E 3
do 14 S 40 N 47		do 12 S 47 N 17
55.50 A. Stream 5 lbs S. E		Land level B. Oak, Beech, Sugar P.
80.00 Set post corner to Secs 13, 14, 23, 24		East Between Secs 1 & 12 On Random
Sugar 12 N 14 E 35	40.00	Temporary gr. Sec. post
do 8 S 7 N 7	71.00	A. Stream 5 lbs S. E
Land V. rate, Beech, Oak, Hickory, Sugar P.	80.40	Intersected East line 12 ft. S. South of post
East Between Secs 13 & 24 On Random	West Corrected	
40.00 Temporary gr. Sec. post	40.20	gr. Sec. corner W. Oak 6 S 45 E 23
81.54 Intersected East line 60 lbs South of post		do 5 S 45 W
West Corrected	80.40	Sec. cor.
40.27 1/2 gr. Sec. corner Hickory 8 S 13 N 13		Land V. rate, Beech, Oak, Sugar, H. Oak, S. Oak
B. Walnut 20 N 65 E 38	North Between Secs 1 & 2	
Land V. rate, Beech, Oak, Sugar, Walnut P.	31.55	A. Beech 14 in. diam.
North Between Secs 13 & 14	40.00	gr. Sec. corner Beech 10 S 12 E 17
25.10 A. Beech 12 in. diam.		do 14 S 12 N 7
40.00 gr. Sec. corner Beech 10 S 20 N 25	63.55	A. W. Oak 14 in. diam.
Sugar 12 N 7 E 18	76.00	A. Stream 10 lbs East
54.30 A. W. Oak 18 in. diam.	77.78	Intersected line at post
80.00 Set post corner of Secs 11, 12, 13, 14		Land V. rate, Beech, Oak, W. Walnut, Elm P.
W. Oak 12 N 40 E 20	North Between Secs 34 & 35	
Shk 4 S 27 N 32	4.15	A. Ash 12 in. diam.
Land V. rate, Beech, Oak, W. Oak, Elm P.	40.00	gr. Sec. corner Beech 14 S 48 N 22
East Between Secs 12 & 13 On Random		do 10 S 47 E 30
40.00 Temporary gr. Sec. post	80.00	Set post corner of Secs 26, 27, 34, 35
80.43 Intersected East line 67 lbs South of post		Sugar 12 S 48 N 24
West Corrected July 18 <sup>th</sup> 1820		Beech 30 S 86 E 31
40.27 1/2 gr. Sec. corner Beech 10 S 31 N 14		Land V. rate, Beech, Oak, Sugar
do 8 S 24 N 18	East Between Secs 26 & 35 On Random	
Land V. rate, Beech, Oak, W. Oak P.	40.00	Temporary gr. Sec. post
North Between Secs 11 & 12	81.00	Intersected East line 1.65 lbs South of post
27.65 A. Beech 12 in. diam.	West Corrected	
40.00 gr. Sec. corner W. Oak 20 S 51 E 20	40.50	gr. Sec. corner W. Oak 12 S 48 N 10
do 30 S 54 N 23		B. Oak 30 S 26 E 28
	81.00	Section corner Land the same

North Between Secs 26 & 27	17.22	A. Beech 26 in. diam.
40.00 gr. Sec. corner Beech 12 S 87 E 27		do 5 S 83 N 13
66.30 A. W. Oak 24 in. diam.		
80.00 Set post corner to Secs 22, 26, 27, 23		Beech 8 S 35 N 4
		do 6 S 44 E 22
Land V. rate, Beech, Oak, Sugar P.		
East On Random Between Secs 23 & 26		
40.00 Temporary gr. Sec. post		
81.20 Intersected East line 56 lbs South of post		
Land & timber same		
West Corrected		
40.50 gr. Sec. corner Beech 10 S 46 N 15		do 18 S 54 E 15
80.20 Section corner		
North Between Secs 22 & 23		
20.00 A. Stream 5 lbs East		
20.50 A. Poplar 30 in. diam.		
23.50 A. Stream 3 lbs East		
40.00 gr. Sec. corner Beech 14 S 57 E 13		do 8 S 62 N 11
62.50 A. Sugar 24 in. diam.		
80.00 Set post corner of Secs 14, 15, 22, 23		
		Sugar 10 S 33 E 29
		do 8 S 33 N 20
Land V. rate, Beech, Oak, Sugar, Elm P.		
East Between Secs 14 & 23 On Random		
40.00 Temporary gr. Sec. post		
81.09 Intersected East line 66 lbs North of post		
West Corrected		
40.54 1/2 gr. Sec. corner Beech 12 S 6 E 38		do 12 S 2 E 46
81.09 Section corner		
Land & timber same July 19 <sup>th</sup> 1820		

North Between Secs 14 & 15	2.50	A. Stream 5 lbs S. E
37.05 A. Beech 12 in. diam.		
40.00 gr. Sec. corner B. Walnut 20 S 42 N 14		Beech 14 S 82 E 15
46.00 A. Stream 3 lbs S. E		
64.83 A. Beech 14 in. diam.		
80.00 Set post corner to Secs 10, 11, 14, 15		
		W. Oak 30 S 60 E 50
		Poplar 50 S 34 N 23
Land V. rate, Beech, Poplar, Oak, Sugar P.		
East On Random Between Secs 11 & 14		
40.00 Temporary gr. Sec. post		
81.00 Intersected East line 50 lbs North of post		
West Corrected		
40.50 gr. Sec. corner Beech 14 S 68 E 5		do 12 S 45 N 30
81.00 Section corner		
Land & timber as before		
North Between Secs 10 & 11		
25.70 A. Beech 24 in. diam.		
40.00 gr. Sec. corner Beech 8 S 65 N 20		W. Oak 12 S 57 E 24
62.21 A. Beech 14 in. diam.		
80.00 Set post corner of Secs 2, 3, 10, 11		
		Beech 18 S 68 N 10
		do 14 S 57 E 44
Land V. rate, Beech, Oak, Sugar P.		
East Between Secs 2 & 11 On Random		
40.00 Temporary gr. Sec. post		
81.00 Intersected East line 24 lbs North of post		
West Corrected		
40.50 gr. Sec. corner Beech 8 S 40 N 20		B. Oak 18 S 43 N 11
81.00 Section corner		
Land & timber as before		



North Between Sec: 21 & 3  
 33.40 A. Hickory 12 in. diam.  
 40.00 gr. Sec. corner Sugar 12 S 58 W 47  
 Beech 12 S 74 E 10  
 79.70 Intersected North line of this West of post  
 Beech 14 S 67 E 36  
 do 12 S 18 W 16  
 Land V. rate Beech, Oak, Sugar, Poplar  
 North Between Sec: 33 & 34  
 15.65 A. Poplar 12 in. diam.  
 40.00 gr. Sec. corner Ash 18 S 44 E 23  
 Hickory 14 S 5 W 20  
 54.05 A. B. Oak 30 in. diam.  
 80.00 Set post corner of Sec: 27, 28, 33, 34  
 Beech 8 S 20 E 23  
 Hickory 12 S 11 E 14  
 Land V. rate Beech, Oak, Poplar, W. Ash, Sugar  
 East Between Sec: 27 & 34 On Random  
 18.50 A. Hickory 5 lbs S. E  
 40.00 Temporary gr. Sec. post  
 81.10 Intersected East line at the post  
 West Corrected July 20<sup>th</sup> 1820  
 40.55 gr. Sec. corner Ash 14 S 60 E 25  
 W. Oak 12 S 30 W 15  
 81.10 Section corner  
 Land the same  
 North Between Sec: 27 & 28  
 16.50 A. Beech 14 in. diam.  
 40.00 gr. Sec. corner B. Oak 20 S 52 W 3  
 Beech 10 S 19 E 3  
 56.50 Am. Ash 20 in. diam.  
 80.00 Set post corner of Sec: 21, 22, 27, 28  
 Beech 14 S 76 E 24  
 Hickory 10 S 45 W 5  
 Land & timber same  
 East Between Sec: 22 & 27 On Random  
 40.00 Temporary gr. Sec. post  
 81.00 Intersected East line 3 lbs North of post  
 West Corrected  
 40.50 gr. Sec. corner Beech 12 S 57 W 30  
 do 4 S 25 E 2  
 81.00 Section corner  
 Land V. rate Beech, W. Ash, Oak, Poplar  
 North Between Sec: 21 & 22  
 25.00 A. Hickory 12 in. diam.  
 40.00 gr. Sec. corner Beech 14 S 60 E 24  
 do 18 S 40 W 21  
 61.00 A. Hickory 12 in. diam.  
 80.00 Set post corner of Sec: 15, 16, 21, 22  
 Ash 12 S 12 W 23  
 Beech 14 S 17 W 15  
 Land V. rate Beech, Sugar, Oak, Sugar  
 East Between Sec: 15 & 22 On Random  
 40.00 Temporary gr. Sec. post  
 73.00 A. Spring S. E  
 76.00 A. Hickory 3 lbs S. E  
 81.05 Intersected East line 15 lbs North of post  
 West Corrected  
 40.52 gr. Sec. corner Beech 10 S 38 E 16  
 do 10 S 71 W 18  
 81.05 Section corner  
 Land V. rate  
 North Between Sec: 15 & 16  
 31.00 A. Ash 18 in. diam.  
 40.00 gr. Sec. corner W. Oak 12 S 26 W 17  
 Beech 18 S 25 E 45  
 63.26 A. W. Oak 10 in. diam.  
 80.00 Set post corner to Sec: 7, 10, 15, 16  
 Poplar 20 S 57 W 20  
 Ash 20 S 46 E 25  
 Land same July 21<sup>st</sup> 1820

East Between Sec: 10 & 15 On Random  
 40.00 Temporary gr. Sec. post  
 81.20 Intersected East line 2 lbs North of post  
 West Corrected  
 40.60 gr. Sec. corner Beech 12 S 87 W 20  
 do 4 S 89 E 11  
 Land V. rate Beech, Oak, Sugar  
 North Between Sec: 9 & 10  
 11.95 A. Beech 4 in. diam.  
 40.00 gr. Sec. corner Hickory 12 S 40 E 13  
 do 12 S 45 W 42  
 52.15 Am. Elm 24 in. diam.  
 80.00 Set post corner of Sec: 3, 4, 9, 10  
 W. Oak 8 S 36 E 16  
 Ironwood 6 S 5 W 8  
 Land & timber same with the Elm  
 East Between Sec: 3 & 10 On Random  
 40.00 Temporary gr. Sec. post  
 81.28 Intersected East line 19 lbs North of post  
 West Corrected  
 40.64 gr. Sec. corner Ash 12 S 40 E 13  
 Hickory 10 S 25 W 7  
 81.28 Section corner  
 Land V. rate Beech, Oak, Sugar  
 North Between Sec: 3 & 4  
 22.00 A. B. Oak 30 in. diam.  
 40.00 gr. Sec. corner Beech 14 S 62 W 20  
 do 12 S 43 E 2  
 47.45 A. Hickory 24 in. diam.  
 79.00 Intersected North line 20 lbs West of post  
 Beech 5 S 73 E 3  
 do 12 S 88 W 28  
 Land & timber as before  
 North Between Sec: 32 & 33  
 23.00 A. Beech 16 in. diam.  
 40.00 gr. Sec. corner Beech 12 S 83 E 29  
 W. Oak 30 S 67 W 37  
 50.65 A. Hickory 20 in. diam.  
 80.00 Set post corner of Sec: 28, 29, 32, 33  
 Ash 14 S 55 W 40  
 Beech 14 S 35 E 23  
 Land flat & rate  
 East Between Sec: 28 & 33 On Random  
 40.00 Temporary gr. Sec. post  
 80.67 Intersected East line 5 lbs South of post  
 West Corrected  
 40.33 gr. Sec. corner Hickory 14 S 35 E 21  
 Beech 10 S 16 W 27  
 80.67 Section corner July 22<sup>nd</sup> 1820  
 Land V. rate Beech, Oak, Sugar  
 North Between Sec: 28 & 29  
 24.64 A. Beech 14 in. diam.  
 40.00 gr. Sec. corner Ash 18 S 59 E 3  
 Beech 14 S 50 W 20  
 54.19 Am. Ash 30 in. diam.  
 80.00 Set post corner to Sec: 20, 21, 28, 29  
 Beech 10 S 27 W 12  
 Poplar 50 S 33 E 23  
 Land & timber same  
 East Between Sec: 21 & 28 On Random  
 40.00 Temporary gr. Sec. post  
 80.60 Intersected East line 30 lbs South of post  
 West Corrected  
 40.30 gr. Sec. corner Beech 5 S 74 E 26  
 Ash 12 S 20 W 30  
 80.60 Section corner  
 Land V. rate Beech, Oak, Sugar



North Between Sec<sup>s</sup> 20 & 21  
 13.00 H. Beech 14 in. diam.  
 40.00 gr. Sec. corner Beech 12 S 75 E 22  
 do 7 S 70 N 24  
 64.00 Am. Ash 10 in. diam.  
 80.00 Set post corner to Sec<sup>s</sup> 16, 17, 20, 21  
 B. Walnut 24 S 32 N 23  
 Hornbeam 4 S 38 E 18  
 Sand V<sup>nd</sup> rate, Beech, Oak, Sugar, Elm &c  
 East Between Sec<sup>s</sup> 16 & 21 On Brandon  
 40.00 Temporary gr. Sec. post  
 80.46 Intersected East line 5 lbs North of post  
 West Corrected  
 40.22 gr. Sec. corner Depo 4 S 12 N 25  
 W. Oak 24 S 22 E 25  
 80.20 Section corner  
 Sand V<sup>nd</sup> rate, Beech, Oak, Sugar, Elm &c  
 North Between Sec<sup>s</sup> 16 & 17  
 17.50 Am. Ash 30 in. diam.  
 40.00 gr. Sec. corner W. Oak 20 S 15 N 24  
 Beech 12 S 18 E 45  
 41.00 H. W. Oak 24 in. diam.  
 80.00 Set post corner to Sec<sup>s</sup> 8, 9, 16, 17  
 Beech 14 S 32 N 2  
 Sugar 18 S 35 E 45  
 Sand V<sup>nd</sup> rate, Beech, Oak, Ash  
 East Between Sec<sup>s</sup> 9 & 16 On Brandon  
 40.00 Temporary gr. Sec. post  
 80.25 Intersected East line 2 lbs South of post  
 West Corrected  
 40.12 gr. Sec. corner W. Oak 14 S 52 N 9  
 Beech 12 S 51 E 3  
 80.25 Section corner  
 Sand V<sup>nd</sup> rate, Beech, Oak, Sugar  
 Hing's Spice

North Between Sec<sup>s</sup> 8 & 9  
 33.00 H. Beech 24 in. diam.  
 40.00 gr. Sec. corner Beech 12 S 75 E 22  
 do 10 S 45 N 16  
 63.00 H. Beech 14 in. diam.  
 80.30 Set post corner of Sec<sup>s</sup> 4, 5, 8, 9  
 Beech 10 S 50 E 23  
 Buckeye 8 S 63 N 25  
 July 23<sup>d</sup> 1820  
 Sand V<sup>nd</sup> rate  
 East Between Sec<sup>s</sup> 8 & 9 On Brandon  
 40.00 Temporary gr. Sec. post  
 80.20 Intersected East line 14 lbs South of post  
 West Corrected  
 40.10 gr. Sec. corner Ash 10 S 20 N 16  
 Beech 12 S 20 E 1  
 80.20 Section corner  
 Sand V<sup>nd</sup> rate, Beech, Oak, Sugar, Elm &c  
 North Between Sec<sup>s</sup> 4 & 5  
 23.45 H. Sugar 12 in. diam.  
 40.00 gr. Sec. corner Sugar 18 S 5 E 8  
 do 14 S 20 N 6  
 56.35 H. Sugar 14 in. diam.  
 79.50 Intersected North line 200 lbs West of post  
 Beech 14 S 3 N 12  
 do 12 S 10 E 23  
 Sand V<sup>nd</sup> rate, Beech, Oak &c  
 North Between Sec<sup>s</sup> 31 & 32  
 38.27 H. W. Oak 12 in. diam.  
 40.00 gr. Sec. corner Sugar 4 S 77 N 12  
 do 5 S 36 E 20  
 56.50 H. Lyncus 20 in. diam.  
 80.00 Set post corner to Sec<sup>s</sup> 29, 30, 31, 32  
 Ash 12 S 89 N 42  
 Beech 18 S 90 E 20  
 Sand & timber same with Sugar

East Between Sec<sup>s</sup> 29 & 32 On Brandon  
 40.00 Temporary gr. Sec. post  
 80.78 Intersected East line 23 lbs South of post  
 West Corrected  
 40.39 gr. Sec. corner Beech 12 S 30 E 22  
 do 14 S 40 N 33  
 80.78 Section corner  
 Sand V<sup>nd</sup> rate, Beech, Oak & birch  
 West Between Sec<sup>s</sup> 30 & 31  
 40.00 gr. Sec. corner Hickory 5 S 3 E 9  
 Buckeye 9 S 21 E 16  
 65.45 Intersected West line 10 lbs North of post  
 Sec 16 S 22 N 29  
 White Elm 4 S 15 E 12  
 Sand V<sup>nd</sup> rate, Beech, Oak, Sugar, Elm &c  
 North Between Sec<sup>s</sup> 29 & 30  
 14.05 H. Beech 24 in. diam.  
 40.00 gr. Sec. corner Cherry 14 S 71 E 9  
 Beech 12 S 70 N 7  
 54.67 H. Beech 18 in. diam.  
 80.00 Set post corner to Sec<sup>s</sup> 19, 20, 29, 30  
 Sugar 14 S 11 E 25  
 do 14 S 23 N 9  
 Sand & timber as above  
 East Between Sec<sup>s</sup> 20 & 29 On Brandon  
 40.00 Temporary gr. Sec. post  
 80.74 Intersected East line 5 lbs North of post  
 West Corrected  
 40.37 gr. Sec. corner Hickory 12 S 18 N 26  
 Beech 12 S 1 E 31  
 80.74 Section corner  
 Sand V<sup>nd</sup> rate, Ash, Beech, Oak &c  
 West Between Sec<sup>s</sup> 19 & 30  
 40.00 gr. Sec. corner W. Oak 30 S 16 E 72  
 Hickory 10 S 18 N 28

42.00 H. Stream 25 lbs South  
 66.50 Intersected West line 1.12 lbs North of post  
 Beech 24 S 11 E 22  
 do 20 S 34 N 9  
 Sand V<sup>nd</sup> rate  
 North Between Sec<sup>s</sup> 19 & 20  
 8.00 H. B. Walnut 14 in. diam.  
 35.00 H. Spring St. W  
 40.00 gr. Sec. corner Ash 8 S 10 N 6  
 do 6 S 6 N 22  
 80.00 Set post corner to Sec<sup>s</sup> 17, 18, 19, 20  
 Beech 18 S 61 E 19  
 W. Oak 20 S 43 N 19  
 Sand V<sup>nd</sup> rate, Beech, Oak, Sugar, Elm &c  
 East Between Sec<sup>s</sup> 17 & 20 On Brandon  
 40.00 Temporary gr. Sec. post  
 80.50 Intersected East line 8 lbs St. of post  
 West Corrected  
 40.25 gr. Sec. corner Buckeye 10 S 83 N 23  
 do 6 S 59 E 15  
 80.50 Section corner  
 Sand V<sup>nd</sup> rate  
 West Between Sec<sup>s</sup> 18 & 19  
 1.10 H. Stream 25 lbs S. W  
 40.00 gr. Sec. corner Ash 12 S 55 N 16  
 Beech 14 S 82 E 15  
 68.00 Intersected West line 78 lbs North of post  
 Beech 10 S 22 N 9  
 do 12 S 40 N 30  
 Sand V<sup>nd</sup> rate, Beech, Oak, Elm, Sugar, Elm &c  
 North Between Sec<sup>s</sup> 17 & 18  
 8.50 H. Stream 25 lbs West  
 12.25 Same S. E.  
 18.00 Same S. W  
 38.66 H. Beech 10 in. diam.



40.00 gr. Sec. corner Beech 12 St 16 E 17  
do 12 St 26 N 52  
55.74 A. Sugar 14 in. diam.  
80.00 Set post corner of Sec. 4, 8, 17, 18  
Sugar 12 St 82 E 35  
Beech 10 West 7  
Land V. rate. Beech. Oak. Spruce  
East Between Sec. 4, 8, 17 On Brandon  
18.00 A. Spruce 25 lbs South  
40.00 Temporary gr. Sec. post  
86.25 Intersected East line 39 lbs North of post  
West Corrected  
40.12 gr. Sec. corner Sugar 10 St 20 E 11  
do 8 St 37 N 26  
80.25 Sec. corner Land V. rate. Beech. Oak. Sugar  
West Between Sec. 4, 18 July 25, 1820  
40.00 gr. Sec. corner Beech 4 St 70 N 12  
Hickory 12 St 41 E 31  
88.50 Intersected West line 100 lbs South of post  
Beech 14 St 26 N 5  
Ironwood 3 St 68 E 5  
Land & timber same  
North Between Sec. 4, 18  
17.95 A. Sugar 14 in. diam.  
40.00 gr. Sec. corner Ironwood 5 St 1 E 8  
Beech 14 St 82 N 23  
53.10 A. Beech 14 in. diam.  
80.00 Set post corner to Sec. 5, 6, 7, 8  
Sugar 20 St 47 N 26  
Beech 12 St 47 E 18  
Land V. rate. Beech. Oak. Sugar. Elm  
East Between Sec. 5, 8 On Brandon  
40.00 Temporary gr. Sec. post  
43.00 A. Spruce 25 lbs S. W  
80.00 Intersected line 10 lbs South of post

West Corrected Between Sec. 5, 8  
40.12 gr. Sec. corner W. Walnut 18 St 48 N 12  
Spruce 18 St 40 E 1  
80.25 Section corner  
West Between Sec. 6, 7  
32.00 A. Spruce S. E  
40.00 gr. Sec. corner Sugar 12 St 37 N 33  
Beech 12 St 80 E 31  
67.32 Intersected West line 1.65 lbs South of post  
Hickory 12 St 39 W  
Sugar 12 St 12 E 9  
Land V. rate. Beech. Oak. W. Ash. Hickory  
North Between Sec. 5, 6  
33.69 A. Sugar 12 in. diam.  
40.00 gr. Sec. corner Beech 10 St 18 E 26  
50.95 Oak 34.  
do 12 St 28 N 44  
80.00 Intersected North line 1.29 lbs West of post  
Ash 20 St 6 E 6  
Spruce 18 St 53 N 30  
Land V. rate throughout the whole  
Township nearly uniform  
Surveyed by W. B. Laughlin D. S.

**Township N. 15 North, Range N. 2 East 2<sup>nd</sup> Mer.**  
**Range Line - Var. 6 E.**

North Between Bridges 2 & 3 East Township 15 North  
On the East Side of Sec. 36  
15.03 A. Beech 14 in. diam.  
29.50 A. Brook 3 lbs East  
38.85 Same do East  
40.00 gr. Sec. corner Sugar 13 St 35 N 43  
Hickory 13 St 32 E 30  
63.75 A. Sugar 14 in. diam.  
80.00 Set post corner to Sec. 25 St 36  
Sugar 14 St 12 E 16  
do 10 St 49 N 17  
Land Oak. Beech. Sugar. Ash. W. Spruce  
North On the East Side of Sec. 25  
3.60 A. Brook 3 lbs East  
32.90 A. Beech 18 in. diam.  
37.40 A. Oak 24 East  
40.00 gr. Sec. corner Beech 22 St 41 N 22  
do 18 St 10 E 24  
64.55 A. Sugar 14 in. diam.  
78.00 A. Brook 7 lbs East  
80.00 Set post corner of Sec. 24 St 25  
Sugar 10 St 29 E 20  
do 10 St 30 N 13  
Land & timber same  
North On the East Side of Sec. 24  
17.45 A. Beech 18 in. diam.  
40.00 gr. Sec. corner Beech 20 St 49 E 34  
67.10 A. Spanish Oak 42 in. diam.  
80.00 Set post corner of Sec. 13 St 24  
Beech 12 St 30 E 24  
Oak 10 St 13 E 25  
Land & timber same  
North On the East Side of Sec. 13  
6.00 A. Brook 6 lbs East  
16.50 Same do East  
24.35 Am. Ash 14 in. diam.  
40.00 gr. Sec. corner Ash 10 St 4 N 37  
Maple 15 St 61 E 9  
74.90 Am. Oak 36 in. diam.  
80.00 Set post corner of Sec. 12 St 13  
Hickory 8 St 27 E 14  
Walnut 20 St 37 N 17  
Oak land. Oak Ash.  
North On the East Side of Sec. 12  
16.25 A. Brook 8 lbs East  
35.85 A. Beech 14 in. diam.  
40.00 gr. Sec. corner Beech 10 St 27 E 6  
Sugar 12 St 81 N 17  
50.80 A. Beech 20 in. diam.  
80.00 Set post corner of Sec. 1 St 12  
Beech 18 St 31 N 20  
Sugar 12 St 12 E 18  
Land & timber as before  
North On the East Side of Sec. 1  
3.80 Am. Ash 22 in. diam.  
40.00 gr. Sec. corner Hickory 13 St 4 E 32  
Spruce 14 St 39 N 13  
46.50 A. Beech 1.50 lbs S. E  
80.70 Set post corner of Range 2 St 3 E. Township  
15 St 16 Sec. 1, 6, 31, 36  
Hornbeam 10 St 7 N 27  
Beech 18 St 35 N 25  
Aug. 11<sup>th</sup> 1819  
John McDonald D. S.